









Product Description

Ferro-Pak® natural kraft saturated both sides with Daubert Cromwell's nitrite-free formulation for protection of ferrous metals. It is designed for general protection of ferrous metals, including steel and cast iron, without the need for surface applied oils or rust protective liquids.

Corrosion Protection

Premium protection for ferrous metals. Protects steel, cast iron, and ferrous alloys.

Features

- Proven Daubert Cromwell corrosion inhibitor chemistry
- Metals protected: steel, cast-iron, and ferrous alloys
- Fully recyclable and re-pulpable
- Available in most common size sheets and rolls
- Safe and easy to use; no special handling required
- Non-toxic, OEM approved VCI chemistry
- Has no heavy metals, chromates, molybdates, phosphates, chlorides, or secondary amines
- Replaces oil, grease, and traditional corrosion prevention methods
- Parts emerge clean, dry and ready to use immediately
- RoHS compliant, OEM approved
- Compatible with Daubert Cromwell RPs, emitters and films

Typical Applications

- Engines and large machinery
- Transport, Export, Storage of fabricated metal
- Assemblies, frames, stampings, doors, etc.
- components and assembly
- Brake parts, automotive parts
- Bearings, gears, valves, pistons

Guidelines For Use

Packaging personnel should always wear gloves while handling metal parts. Parts should be clean and free of fingerprints before wrapping. Package your clean products as quickly as possible.

Protect metals from corrosion by wrapping or layering in Ferro-Pak. No need to oil or grease the metal before wrapping. Dry, clean metal will attract the VCI by polarity. A molecular level of VCI will transfer to and set up on the metal.

The metal part should be no more than 8"-12" (200-300mm) from the VCI product. The closer to the metal, the better the corrosion protection. As a general rule, use 1 sq. ft. of VCI for every 1-3 sq. ft. of metal surface.

Store in a cool, dry place, away from direct sunlight. Do not store outdoors, in high humidity, or at temperatures above 80° F.



12701 S. Ridgeway Ave. Alsip, IL 60803 USA

Toll Free: 800-535-3535

Telephone: +1-708-293-7750 +1-708-293-7765 Fax:

www.daubertcromwell.com info@daubertcromwell.com

